

PEPER, MARTIN, JENSEN, MAICHEL AND HETLAGE
ATTORNEYS AT LAW

2000 MAIN STREET
FORT MYERS, FLORIDA 33901-3050
(813) 337-3850

720 WEST MAIN STREET
BELLEVILLE, ILLINOIS 62220-1515
(618) 234-9574

TWENTY-FOURTH FLOOR
720 OLIVE STREET
ST. LOUIS, MISSOURI 63101-2396

(314) 421-3850
TELEX: 434257
TELECOPY: (314) 621-4834

WRITER'S DIRECT DIAL NUMBER

(314) 444-6445

June 9, 1993

1825 WEST MARION AVENUE
PUNTA GORDA, FLORIDA 33950-5295
(813) 637-1955

4501 TAMiami TRAIL NORTH
NAPLES, FLORIDA 33940-3018
(813) 261-6525

RECEIVED

JUN 15 1993

ROOM SECTION

Cynthia L. Hutchison
U.S.E.P.A., Region VII
726 Minnesota Avenue
Kansas City, KS 66101

RE: Steelcote Facility - St. Louis, Missouri
Docket No. VII-91-H-0025

Dear Ms. Hutchison:

Pursuant to paragraph 28 of the above-referenced Administrative Order on Consent,
I am enclosing the status report for the month of May, 1993.

Please let me know if you have any questions.

Very truly yours,

Alphonse McMahon

AM/fmp
Encl.

cc (w/encl.): Douglas A. Niedt
Donald McQueen

STL-48423.1


R00353188
RCRA RECORDS CENTER

STATUS REPORT

EPA Docket No. VII-91-H-0025

**MAY 1993
STEELCOTE FACILITY
ST. LOUIS, MISSOURI**

PLANNED ACTIVITIES

Activities which were planned during May 1993 included development of a bid and specification package for cone penetrometer testing ("CPT") and soliciting bids for the CPT work.

ACTUAL ACTIVITIES

After receiving EPA's written approval of the CPT procedures, bid requests were sent to four subcontractors. Brotcke Engineering of St. Louis has been selected to conduct the CPT work.

In addition, fifth quarter sampling was completed. However, results of the analyses of the samples were not received.